POSPOLE[®]

Basic Pre-Set Solutions

Mounting solutions for your application





Find a suitable solution for your needs quickly and easily. Benefit from our flexible system and expand your mount with products from our POSPOLE Basic Parts portfolio. Choose from a wide range of holders for EC devices, printers, scanners, customer displays and much more.

Find more information on www.pospole.net



PRS01 - Base pole and VESA side PP-PRS-09421-9005

- ✓ 400mm base pole, double cutout for cable routing.
- VESA 75/100, adjustable in height and angle, 360° rotation possible.
- \checkmark Including screws and mounting material.
- ✓ With high quality powder coating, RAL9005 (jet black).
- ✓ Expandable with POSPOLE Basic Parts.



PRS02 - Base pole and VESA top PP-PRS-09422-9005

- ✓ 300mm base pole, double cutout for cable routing.
- \checkmark VESA 75/100, adjustable angle, 360° rotation possible.
- ✓ Including screws and mounting material.
- ✓ With high quality powder coating, RAL9005 (jet black).
- \checkmark Expandable with POSPOLE Basic Parts.



PRS03 - Base pole and dual-VESA side PP-PRS-09423-9005

- \checkmark 400mm base pole, double cutout for cable routing.
- 2x VESA 75/100, adjustable in height and angle, 360° rotation possible, VESA rotation max. 180°.
- ✓ Including screws and mounting material.
- ✓ With high quality powder coating, RAL9005 (jet black).
- ✓ Expandable with POSPOLE Basic Parts.

H POSPOLE[®]

POSPOLE GmbH Max-Planck-Str.10 70806 Kornwestheim Germany Tel. +49 (0) 7154 1558391 Fax +49 7154 8300599 info@pospole.net www.pospole.net Handelsregister Amtsgericht Stuttgart HRB 757435



PRS04 - Base pole and arm w/ VESA PP-PRS-09425-9005

- \checkmark 400mm base pole, double cutout for cable routing.
- 200mm arm with VESA 75/100, adjustable in height and angle, 360° rotation possible, VESA rotation max. 180°, with improved cable management.
- Including cable protection, screws and mounting material.
- ✓ With high quality powder coating, RAL9005 (jet black).
- Expandable with POSPOLE Basic Parts.



PRS05 - Base pole and lift-arm w/ VESA PP-PRS-09427-9005

- 400mm base pole, double cutout for cable routing.
- 300mm lift arm with VESA 75/100, adjustable in height and angle, 360° rotation possible, VESA rotation max. 180°, designed for a weight of 3 - 7Kg.
- Including screws and mounting material.
- ✓ With high quality powder coating, RAL9005 (jet black).
- ✓ Expandable with POSPOLE Basic Parts.



PRS06 - Base pole and dual-arm w/ VESA PP-PRS-09428-9005

- ✓ 400mm base pole, double cutout for cable routing.
- 2x 200mm arm with VESA 75/100, adjustable in height and angle, 360° rotation possible, VESA rotation max. 180°, with mounting points for cable ties.
- ✓ Including cable ties, screws and mounting material.
- ✓ With high quality powder coating, RAL9005 (jet black).
- ✓ Expandable with POSPOLE Basic Parts.

H POSPOLE[®]

POSPOLE GmbH Max-Planck-Str.10 70806 Kornwestheim Germany Tel. +49 (0) 7154 1558391 Fax +49 7154 8300599 info@pospole.net www.pospole.net Handelsregister Amtsgericht Stuttgart HRB 757435

"Whoever stops getting better, has stopped being good."

Our POSPOLE mounts not only offer a very good solution at a reasonable price, we also develop and improve existing aspects to give you further advantage. Many solutions can be combined or upgraded with our innovative alternatives.



Improved arm extension

Often only a few, thin cables are routed along the arm (e.g. voltage/data cables). The improved cable routing enables quick installation. In addition, the arm appears significantly slimmer without the large cable clip. Optionally, the cable clip can still be used if many or particularly thick cables need to be routed.

Arms with improved cable routing are available in the **POSPOLE Basic Parts** portfolio and already included in the PRS04 pre-set solution!

Universal base pole

For customers who prefer a flexible and more elegant appearance, we offer a rubberized cutout. It allows the cable to be routed inwards at any position. Together with the improved cable routing, cable visibility is reduced to a minimum.

Base poles with universal cutout are available in **POSPOLE Basic Parts** portfolio!







VESA with friction hinge

We offer an improved VESA version for customers who need to adjust the angle frequently. This has friction hinges and does not need to be adjusted or retightened. With over 16,000 movements, it holds securely in any position for the long term.

VESA mounts with friction hinges are available in the **POSPOLE Basic Parts** portfolio!

H POSPOLE[®]

POSPOLE GmbH Max-Planck-Str.10 70806 Kornwestheim Germany Tel. +49 (0) 7154 1558391 Fax +49 7154 8300599 info@pospole.net www.pospole.net Handelsregister Amtsgericht Stuttgart HRB 757435